


In the claims:

1. (Previously presented) The compound of the general formula



wherein

R¹ represents an oxazolyl heterocycle;

R² represents hydrogen, unsubstituted lower alkyl, lower alkoxy, halo, hydroxy or cyano;

R³ represents hydrogen, unsubstituted lower alkyl, lower alkoxy, halo, or cyano;

R⁴ represents hydrogen, or unsubstituted lower alkyl;

R⁵ represents hydrogen, unsubstituted lower alkyl, lower alkoxy, halo, or cyano;

R⁶ represents hydrogen, unsubstituted lower alkyl, lower alkoxy, halo, or cyano;

R⁷ represents hydrogen, or unsubstituted lower alkyl;

R⁸ represents hydrogen, lower alkyl, lower cycloalkyl, aryl, or heterocyclyl;

and pharmaceutically acceptable salts thereof.

2. (Cancelled)

3. (Cancelled)

4. (Cancelled)

5. (Previously presented) The compound of claim 1 wherein at least one of R^1 , R^3 , R^5 and R^6 is not hydrogen.

6. (Previously presented) The compound of claim 1 wherein R^2 represents lower alkoxy.

7. (Previously presented) The compound of claim 6 wherein R^2 represents methoxy.

8. (Previously presented) The compound of claim 1 wherein R^4 represents hydrogen.

9. (Currently amended) The compound of claim 1 wherein R^4 represents unsubstituted branched lower alkyl.


10. (Previously presented) The compound of claim 1 wherein R^3 , R^6 , and R^7 represents hydrogen.

11. (Previously presented) The compound of claim 1 wherein R^2 represents lower alkoxy and R^3 , R^4 , R^6 and R^7 represent hydrogen.

12. (Previously presented) The compound of claim 11 wherein R^1 represents unsubstituted oxazolyl.

13. (Previously presented) The compound of claim 1 wherein R^8 represents branched lower alkyl, aryl, , a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

14. .(Previously presented)The compound of claim 1 of the formula:



(IX)

wherein

R⁹ represents hydrogen, lower alkyl, or aryl-lower alkyl; and
R¹⁰ represents hydrogen.










15. .(Previously presented)The compound of Claim 14 wherein R⁹ represents methyl, ethyl or benzyl.

16. .(Previously presented)The compound of Claim 14 wherein R⁹ and R¹⁰ are hydrogen.












17. .(Previously presented)The compound of claim 14 wherein R² represents lower alkoxy, R³, R⁴, R⁶ and R⁷ represent hydrogen and R⁸ represents branched lower alkyl, aryl, , a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 - membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

18. .(Previously presented)The compound of claim 14 wherein R² represents methoxy.

19. .(Previously presented)The compound of claim 18, selected from the group consisting of:

	tert-Butyl[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]benzyl]carbamate
	N-tert-Butyl-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide
	[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]benzyl]carbamic acid tetrahydro-3(S)-furyl ester
	N-[3-(Benzamidomethyl)phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide
	Isopropyl [3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]benzyl]carbamate
	N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-(1-methyl-1-phenylethyl)oxalamide
	N-(1,1-Dimethylpropyl)-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide
	N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-(1,1,3,3-tetramethyl-butyl)oxalamide
	N-(1,1-Dimethylpropargyl)-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide

Serial No. 09/779,116
 Filed: February 8, 2001


	N-(2-Hydroxy-1,1-dimethylethyl)-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide
	N-(1,1-Dimethyl-2-phenylethyl)-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide
	Phenyl [3-[[[4-(5-oxazolyl)anilino]oxalyl]amino]benzyl]carbamate
	N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[3-[(phenylcarbamoyl)methyl]phenyl]oxalamide
	tert-Butyl [2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]carbamate
	N-(2-Amino-1,1-dimethylethyl)-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide trifluoroacetate (1:1)
	N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(4-nitrophenyl)ethyl]oxalamide
	N-[3-(Aminomethyl)phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide trifluoroacetate (1:1)
	Methyl [3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]benzyl]carbamate
	N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-(3-pyridyl)oxalamide
	N-[3-[(Benzenesulfonamido)methyl]phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide

Serial No. 09/779,116
 Filed: February 8, 2001

	oxazolyl)phenyl]oxalamide N-(2-Dimethylamino-1,1-dimethylethyl)-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide hydrochloride (1:1)
	N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1-methyl-1-(methylcarbamoyl)ethyl]oxalamide
	N-tert-Butyl-N'-[3-chloro-4-(5-oxazolyl)phenyl]oxalamide
	N-tert-Butyl-N'-[3-methoxy-4-(4-oxazolyl)phenyl]oxalamide

or a pharmaceutically acceptable salt thereof.

20. (Currently amended) The compound of claim 14 of the formula



wherein

R^1 and R^2 is H or lower alkyl, R^3 is H or unsubstituted lower alkyl, $m=1$ to 5 and

R^4 is heterocyclyl, or aryl other than 4-fluorophenyl.

21. (Previously presented) The compound of claim 20 wherein

R¹ is methoxy, R³, R⁵, R⁶, R⁹, R¹⁰, R¹¹ and R¹² are hydrogen and wherein

R¹² is phenyl other than 4-fluorophenyl and heteroaryl.

22. .(Previously presented)The compound of claim 20 wherein R¹² represents phenyl, a 5 or 6-membered monocyclic or 9 or 10-membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

23. .(Previously presented) The compound of claim 22 selected from

Name	Structure
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(4-methylphenyl)ethyl]oxalamide	
N-[1,1-Dimethyl-2-(2-methylphenyl)ethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(3-pyridyl)ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(3-methylphenyl)ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(2-thienyl)ethyl]oxalamide	









N-[2-(4-Benzyloxy-phenyl)-1,1-dimethyl-ethyl]-N'-(3-methoxy-4-oxazol-5-yl-phenyl)-oxalamide	
N-[2-(4-Hydroxy-phenyl)-1,1-dimethyl-ethyl]-N'-(3-methoxy-4-oxazol-5-yl-phenyl)-oxalamide	
N-(3-Methoxy-4-oxazol-5-yl-phenyl)-N'-[2-(4-methoxy-phenyl)-1,1-dimethyl-ethyl]-oxalamide	
N-[2-(2-Hydroxy-phenyl)-1,1-dimethyl-ethyl]-N'-(3-methoxy-4-oxazol-5-yl-phenyl)-oxalamide	
N-(1,1-Dimethyl-2-phenyl-propyl)-N'-(3-methoxy-4-oxazol-5-yl-phenyl)-oxalamide	
N-[2-(3-Hydroxy-phenyl)-1,1-dimethyl-ethyl]-N'-(3-methoxy-4-oxazol-5-yl-phenyl)-oxalamide	
N-(3-Methoxy-4-oxazol-5-yl-phenyl)-N'-[2-(3-methoxy-phenyl)-1,1-dimethyl-ethyl]-oxalamide	
N-[2-[4-(Cyanomethoxy)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
2-[4-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]phenoxy]acetic acid	

Serial No. 09/779,116
 Filed: February 8, 2001


2-[2-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]phenoxy]acetic acid	
2-[3-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]phenoxy]acetic acid	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(1-oxido-4-pyridyl)ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(1-oxido-3-pyridyl)ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(1-oxido-2-pyridyl)ethyl]oxalamide	
2-[3-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]phenoxy]acetic acid	
N-[2-(2-Benzofuranyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(3-methyl-2-benzofuranyl)ethyl]oxalamide	
N-[2-(7-Methoxy-2-benzofuranyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-	

Serial No. 09/779,116
 Filed: February 8, 2001

oxazolyl)phenyl]oxalamid e	
N-[2-(5-Methoxy-2-benzofuranyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamid e	
N-[2-(6-Methoxy-2-benzofuranyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamid e	
Benzyl 4-[2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]benzoate	
4-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]benzoic acid	
Benzyl 3-[2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]benzoate	
3-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]benzoic acid	
N-[2-(3-Benzofuranyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamid e	

Benzyl 2-[2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]-5-benzofurancarboxylate	
2-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]-5-benzofurancarboxylic acid	
N-[2-(4-Methoxy-2-benzofuranyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N'-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[2-(2,6-dimethyl-4-pyridyl)-1,1-dimethylethyl] oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(2,6-dimethyl-1-oxido-4-pyridyl) ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-2-(2-methyl-4-pyridyl)ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-2-(2-methyl-1-oxido-4-pyridyl)ethyl]oxalamide	
2-[2-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-2-methylpropyl]-5-benzo thiophene carboxylic acid	

24. (Currently amended) The compound of claim 14 of the formula



wherein

R^{11} and R^{12} is H or lower alkyl, $m=1$ to 5 , R is H or unsubstituted lower alkyl, and R^{12} is heterocyclyl, or aryl other than 4-fluorophenyl.

25. .(Previously presented)The compound of claim 24 wherein

R^2 is methoxy, and R^3 , R^5 , R^6 , R^9 , R^{10} , R^{11} and R^{13} are hydrogen and wherein

R^{12} is phenyl other than 4-fluorophenyl or heteroaryl.


26. .(Previously presented)The compound of claim 24 wherein R^{12} represents phenyl or a 5 or 6-membered monocyclic or 9 or 10-membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

27. .(Previously presented)The compound of claim 26 selected from the group consisting of:

N-[3-Methoxy-4-(5-oxazolylphenyl)]-N'-[1-[(4-pyridyl)methyl]-1-cyclopentyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolylphenyl)]-N'-[1-[(1-oxido-4-pyridyl)methyl]-1-	

cyclopentyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1-[(4-pyridyl)methyl]-1-cyclopropyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1-[(1-oxido-4-pyridyl)methyl]-1-cyclopropyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1-[(4-pyridyl)methyl]-1-cyclobutyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1-[(1-oxido-4-pyridyl)methyl]-1-cyclobutyl] oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1-[(4-pyridyl)methyl]-1-cyclohexyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1-[(1-oxido-4-pyridyl)methyl]-1-cyclohexyl]oxalamide	

28. (Currently amended) The compound of claim 14 of the formula



wherein

R^{11} , R^{12} , R^{13} , R^{14} , R^{15} , R^{16} and R^{17} are H or lower alkyl-, R^{18} is H or unsubstituted lower alkyl, and

R^{19} is alkyl, cycloalkylalkyl, heterocyclyl alkyl or aryl alkyl.

29. .(Previously presented) The compound of claim 28 wherein R^2 is methoxy and R^3 , R^5 , R^6 , R^9 , R^{11} , R^{12} and R^{13} are hydrogen.



30. .(Previously presented)The compound of claim 29 wherein R^{19} represents arylalkyl, branched lower alkyl, a 3 to 7 membered cycloalkyl alkyl, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated heterocyclyl alkyl with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

31. .(Previously presented)The compound of claim 30 selected from

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(2-pyridinyl)methylamino]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(3-pyridyl)methylamino]phenyl]ethyl]oxalamide	
N-[2-[4-(2-Furfurylamino)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-Dimethyl-2-[4-(2-thenylamino)phenyl]ethyl]oxal amide	

Serial No. 09/779,116
 Filed: February 8, 2001



N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2,2-dimethylpropylamino)phenyl]ethyl]oxalamide	
N-[2-[4-[(1H-Imidazol-2-yl)methylamino]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(4-pyridyl)methylamino]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(2-thiazolyl)methylamino]phenyl]ethyl]oxalamide	
N-[2-[4-(3-Furfurylamino)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-[5-(Hydroxymethyl)-2-furfurylamino]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-(4-Benzylaminophenyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2-Hydroxybenzylamino)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(3-Cyanobenzylamino)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[4-(3-pyridyl)benzylamino]phenyl]ethyl]oxalamide	
N-[2-[4-(2-Fluorobenzylamino)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	









32. .(Previously presented)The compound of claim 74 wherein R² is methoxy and R³, R⁵, R⁶, R⁹, R¹⁰, R¹¹ and R¹³ are hydrogen.








33. .(Previously presented)The compound of claim 32 wherein R²⁰ represents aryl, branched lower alkyl, a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.









34. .(Previously presented) The compound of claim 33 selected from the group consisting of:

Name	Structure
N-[2-[4-(Cyclopropylcarboxamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(Cyclobutylcarboxamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

Serial No. 09/779,116
 Filed: February 8, 2001








N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-(4-pivalamidophenyl)-1,1-dimethylethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[(1H-pyrrol-2-yl)carboxamido]phenyl]ethyl] oxalamide	
N-[2-[4-[(2-Furyl)carboxamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-[(3-Furyl)carboxamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-[(1H-Imidazol-4-yl) carboxamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-[(Tetrahydro-2(RS)-furyl)carboxamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-2-[4-[(2-pyridyl)carboxamido]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[(4-pyridyl)carboxamido]phenyl]ethyl] oxalamide	

<p>N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[(2-thienyl)carboxamido]phenyl]ethyl] oxalamide</p>	
<p>N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N-[1,1-dimethyl-2-[4-[(3-thienyl)carboxamido]phenyl]ethyl] oxalamide</p>	
<p>N-[2-[4-(2-Cyclopentylacetamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide</p>	
<p>N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-(2-methylbenzamido)phenyl]ethyl] oxalamide</p>	
<p>N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-(4-methylbenzamido)phenyl]ethyl] oxalamide</p>	
<p>N-[2-[4-(Cycloheptylcarboxamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide</p>	
<p>N-[2-[4-[(5-Isioxazolyl)carboxamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide</p>	








N-[2-[4-(Cyclopentylcarboxamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-{4-[(Tetrahydro-3(RS)-furyl)carboxamido]phenyl}-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(1-methyl-1H-pyrrol-2-yl)carboxamido]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-(1,1-dimethyl-2-[4-[(1,2,3-thiadiazol-4-yl)carboxamido]phenyl]ethyl]oxalamide	
N-[2-[4-(3-Fluorobenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(4-Fluorobenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2-Methoxybenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2-Chlorobenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-	

oxazolyl)phenyl] oxalamide	
N-[2-[4-(3-Chlorobenzamido) phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	
N-[2-[4-(4-Chlorobenzamido) phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	
N-[2-[4-[(1H-Indol-2-yl)carboxamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[4-(dimethylamino)benzamido]phenyl]ethyl] oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-(3,3-dimethylbutyramido)]phenyl]ethyl] oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[2-(1-tetrazolyl)acetamido]phenyl]ethyl] oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[(5-oxo-2(S)-pyrrolidinyl)carboxamido]phenyl]ethyl] oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[(5-oxo-2(R)-pyrrolidinyl)carboxamido]phenyl]ethyl] oxalamide	

Serial No. 09/779,116
 Filed: February 8, 2001








pyrrolidinyl)carboxamido] phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(2-naphthyl)carboxamido]phenyl]ethyl]oxalamide	
N-[2-{4-[(6-Cyano-3-pyridyl)carboxamido]phenyl}-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(3-Methoxybenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(3,5-Difluorobenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-[(1H-Indol-5-yl)carboxamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
(E)-N-[2-[4-(2-Butenamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2-Methoxyacetamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

Serial No. 09/779,116
 Filed: February 8, 2001

N-[3-methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(2-methyl-3-furyl)carboxamido]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[(5-methyl-4-isoxazolyl)carboxamido]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[(3-methyl-4-isoxazolyl)carboxamido]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[(5-methyl-3-isoxazolyl)carboxamido]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N-[1,1-dimethyl-2-[4-[(1-oxido-3-pyridyl)carboxamido]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[(1-oxido-4-pyridyl)carboxamido]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[(4,5-dimethyl-2-furyl)carboxamido]phenyl]ethyl]oxalamide	


N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[(2,5-dimethyl-2H-pyrazol-3-yl)carboxamido]phenyl]-1,1-dimethylethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[(3-methyl-2-thienyl)carboxamido]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[2-(3-thienyl)acetamido]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[(4-methyl-2-thienyl)carboxamido]phenyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[(4-methyl-1,2,3-thiadiazol-5-yl)carboxamido]phenyl]ethyl]oxalamide	
N-[2-[4-(4-Acetamidobenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(3,4-Dimethoxybenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

Serial No. 09/779,116
 Filed: February 8, 2001

N-[2-[4-(4-Chloro-2-methoxybenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2,6-Dichlorobenzamido)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-[(Bicyclo[4.2.0]octa-1(6),2,4-triene-7(RS)-yl)carboxamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2-oxo-2-phenylacetamido)phenyl]ethyl]oxalamide	
N-[2-[4-[2-(2-Fluorophenyl)acetamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-[2-(4-Fluorophenyl)acetamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N-[2-[4-[(4-methoxy-3-thienyl)carboxamido]phenyl]-1,1-dimethylethyl]oxalamide	

N-[2-[4-(4-Acetylbenzamido) phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	
N-[2-[4-[(1,3-Benzodioxol-5-yl)carboxamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	
N-[2-[4-[2-(2-Chlorophenyl)acetamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	
N-[2-[4-[2-(4-Chlorophenyl)acetamido]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	
tert-Butyl 4-[[4-[2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]phenyl]carbamoyl]benzoate	
4-[[4-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]phenyl]carbamoyl]benzoic acid	

35. (Currently amended) The compound of claim 14 of the formula



wherein

R^{10} and R^{11} are H or lower alkyl, R is H or unsubstituted lower alkyl,

$n = 0$ or 1 ,


R^a , R^b are lower alkyl or R^a and R^b taken together with the carbon atom to which they are attached form a 3 to 7 member carbocycle, and

R^{12} is heterocyclyl, aryl or lower cycloalkyl

and Z is O, S or NR^{28} ,

wherein R^{28} is H or lower alkyl.

36. .(Currently amended) The compound of claim 35 of the formula



wherein

R^{10} and R^{11} is H or lower alkyl, R is H or unsubstituted lower alkyl,






$n = 0$ or 1 and

R^{12} is heterocyclyl, aryl or lower cycloalkyl.

37. .(Previously presented)The compound of claims 36 wherein R^2 is methoxy and R^3 , R^5 , R^6 , R^9 , R^{11} , R^{12} and R^{13} are hydrogen.

38.(Previously presented)The compound of claim 37 wherein R^{12} represents aryl, a 3 to 7 membered cycloalkyl ring, or a 5 or 6 - membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

39. .(Previously presented)The compound of claim 38 selected from the group consisting of:

Name	Structure
N-[3-(4-Hydroxy-phenoxy)-1,1-dimethyl-propyl]-N'-(3-methoxy-4-oxazol-5-yl-phenyl)-oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[3-(4-methoxyphenoxy)-1,1-dimethylpropyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(4-nitrophenoxy)propyl]oxalamide	
N-[3-(2-Hydroxyphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(4-Amino-phenoxy)-1,1-dimethyl-propyl]-N'-(3-methoxy-4-oxazol-5-yl-phenyl)-oxalamide	

N-[3-(4-Acetylaminophenoxy)-1,1-dimethylpropyl]-N'-(3-methoxy-4-oxazol-5-yl-phenyl)-oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(3-pyridyloxy)propyl]oxalamide	
N-[3-(3-Hydroxyphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[3-(3-methoxyphenoxy)-1,1-dimethylpropyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(3-nitrophenoxy)propyl]oxalamide	
N-[3-(3-Aminophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
4-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
2-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
3-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	

2-[4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenoxy]acetic acid	
2-[2-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenoxy]acetic acid	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-(1,1-dimethyl-3-phenoxypropyl)oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(1-oxido-3-pyridyloxy)propyl]oxalamide	
N-[3-(3,4-Dihydroxyphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-[4-(methylcarbamoyl)phenoxy]propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[3-(3,4-dimethoxyphenoxy)-1,1-dimethylpropyl]oxalamide	
N-[3-[4-[(2-Hydroxyethyl)carbamoyl]phenoxy]-1,1-dimethyl-propyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

e	
N-[3-(3-Chlorophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(3-pyridyloxy)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2-pyridyloxy)propyl]oxalamide	
2-[4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]acetic acid	
2-[3-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]acetic acid	
4-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropoxy]benzoic acid	
4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-2-methylbenzoic acid	

3-[3-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]propionic acid	
3-[4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]propionic acid	
3-[2-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]propionic acid	
2-[3-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenoxy]acetic acid	
4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-3-methylbenzoic acid	
N-[3-(4-Cyano-2-methoxyphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(3-Cyanophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-[4-(4-Acetyl-1-piperazinyl)phenoxy]-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]	

oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2-morpholinophenoxy)propyl] oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-[3-(dimethylamino)phenoxy] propyl] oxalamide	
N-[3-(1,3-Benzodioxol-5-yloxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[3-(3,4,5-trimethoxyphenoxy)-1,1-dimethylpropyl] oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[3-(3,5-dimethoxyphenoxy)-1,1-dimethylpropyl] oxalamide	
N-[3-(5,6,7,8-Tetrahydro-5-oxo-2-naphthyloxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamid e	
N-[3-(2-Acetamido-5-methylphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamid e	

N-[3-(3-Acetamidophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(1H-Indol-4-yloxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(2-Fluoro-6-methoxyphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2-oxo-2H-1-benzopyran-7-yloxy)propyl]oxalamide	
N-[3-(4-Acetyl-3-methylphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
(E)-N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-[4-(3-oxo-1-butenyl)phenoxy]propyl]oxalamide	
N-[3-(3-Acetylphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(4-Acetylphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

Serial No. 09/779,116
 Filed: February 8, 2001


N-[3-(4-Acetamido-2-chlorophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(4-pyridyloxy)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(1-oxido-4-pyridyloxy)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2,6-dimethyl-4-pyridyloxy)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2,6-dimethyl-1-oxido-4-pyridyloxy)propyl]oxalamide	
N-[2-(4-Cyanophenoxy)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[3-(2-methoxy-4-pyridyloxy)-1,1-dimethylpropyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(1H-tetrazol-5-	

yl)phenoxy]ethyl] oxalamide	
N-[3-(4-Cyanophenoxy)- 1,1-dimethylpropyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamid e	
N-[2-(3-Cyanophenoxy)- 1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamid e	
N-[3-Methoxy-4-(5- oxazolyl) phenyl]-N'- [1,1-dimethyl-2-[3-(1H- tetrazol-5- yl)phenoxy]ethyl] oxalamide	
N-[3-Methoxy-4-(5- oxazolyl) phenyl]-N'- [1,1-dimethyl-3-[4-(1H- tetrazol-5- yl)phenoxy]propyl] oxalamide	
Benzyl 2-methoxy-4-[3- [[[3-methoxy-4-(5- oxazolyl)anilino]oxalyl] amino]-3- methylbutoxy]benzoate	
3-Chloro-4-[3-[[[3- methoxy-4-(5- oxazolyl)anilino]oxalyl] amino]-3- methylbutoxy]benzoic acid	
2-Methoxy-4-[3-[[[3- methoxy-4-(5- oxazolyl)anilino]oxalyl] amino]-3- methylbutoxy]benzoic acid	

3-Methoxy-4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
2-Chloro-4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-2-quinolinecarboxylic acid	
(cis/trans)-4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-1-cyclohexanecarboxylic acid	
(cis/trans)-4-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropoxy]-1-cyclohexanecarboxylic acid	
3-Fluoro-4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
3-Acetamido-4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	

3-(Methanesulfonamido)- 4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-3,5-dimethylbenzoic acid	
3-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-2-pyridinecarboxylic acid	
8-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-2-quinolinecarboxylic acid	
5-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-2-indolecarboxylic acid	

40. (Currently amended) The compound of claim 35 of the formula:



wherein

R^{11} and R^{12} are H or lower alkyl, R is H or unsubstituted lower alkyl,
 $n = 0$ or 1 , $m = 1$ to 5 and,




R¹² is heterocyclyl, aryl or lower cycloalkyl.

41. .(Previously presented)The compound of claim 40 wherein R² is methoxy and R³, R⁵, R⁶, R⁹, R¹⁰, R¹¹ and R¹³ are hydrogen.


42. .(Previously presented)The compound of claim 41 wherein R¹² represents aryl, a 3 to 7 membered cycloalkyl ring, or a 5 or 6 - membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

43. .(Previously presented)The compound of claim 42 selected from the group consisting of:

4-[2-[1-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclopropyl]ethoxy]benzoic acid	
Benzyl 4-[2-[1-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclobutyl]ethoxy]benzoate	
Benzyl 4-[2-[1-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclopentyl]ethoxy]benzoate	
Benzyl 4-[2-[1-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclohexyl]ethoxy]benzoate	

4-[2-[1-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclopentyl]ethoxy]benzoic acid	
4-[2-[1-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclohexyl]ethoxy]benzoic acid	
4-[2-[1-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclobutyl]ethoxy]benzoic acid	

44. .(Previously presented)The compound of claim 35 of the formula



45. .(Previously presented)The compound of claim 44 wherein R² is methoxy and R³, R⁵, R⁶, R⁹, R¹⁰, R¹¹ and R¹³ are hydrogen.

46. .(Previously presented)The compound of claim 45 wherein R¹² represents aryl, a 3 to 7 membered cycloalkyl ring, or a 5 or 6 - membered monocyclic or 9 or 10 -membered bicyclic saturated or

Serial No. 09/779,116
 Filed: February 8, 2001

unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.




47. .(Previously presented)The compound of claim 46 selected from the group consisting of:

Name	Structure
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-2-(phenylthio)ethyl]oxalamide	
N-[2-(4-Hydroxyphenylthio)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-2-(phenylthio)ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-2-(2-pyridylthio)ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(2-pyridylthio)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(2-thienylthio)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(2-pyrimidylthio)propyl]oxa	


lamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(4-pyridylthio)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(2-thiazolylthio)propyl]oxalamide	
N-[3-(4-Hydroxyphenylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(5-methyl-1,3,4-thiadiazol-2-ylthio)propyl]oxalamide	
N-[3-(2-Benzooxazolylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(2-Benzothiazolylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
Methyl 4-[2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropylthio]benzoate	

Serial No. 09/779,116
 Filed: February 8, 2001

tert-Butyl 6-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutylthio]-3-pyridinecarboxylate	
6-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutylthio]-3-pyridinecarboxylic acid trifluoroacetate (1:1)	
4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutylthio]benzoic acid	
N-[2-(4-Benzyloxyphenylthio)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-(4-Benzyloxyphenylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
2-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutylthio]-5-benzoxazolecarboxylic acid	
N-[3-(1H-Imidazol-2-ylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

2-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutylthio]-3-pyridinecarboxylic acid trifluoroacetate (1:1)	
4-[2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropylthio]benzoic acid	
2-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutylthio]-6-benzoxazolecarboxylic acid	

48. (Previously presented) The compound of claim 35 of the formula




49. . (Previously presented) Compound of claim 48, wherein R² is methoxy and R³, R⁵, R⁶, R⁹, R¹⁰, R¹¹ and R¹³ are hydrogen and R²⁸ is hydrogen or methyl.

50. . (Previously presented) The compound of claim 49 wherein R¹² represents aryl.

51. . (Previously presented) The compound of claim 50 selected from the group consisting of:

Name	Structure
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-2-(N-methylanilino) ethyl] oxalamide	
N-(3-Anilino-1,1-dimethylpropyl)-N'-[3-methoxy-4-(5-oxazolyl) phenyl]oxalamide hydrochloride (1:1)	
4-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutylamino]benzoic acid	

52. (Currently amended) The compound of claim 14 of the formula



wherein

R^{11} and R^{12} is H or lower alkyl, R is H or unsubstituted lower alkyl








$n = 0$ or 1

R^{21} is phenyl, phenyl alkyl, phenyl carbonyl, phenyl sulfonyl.

53. . (Previously presented) The compound of claim 52 wherein R^2 is methoxy, R^3 , R^5 , R^6 , R^9 , R^{10} , R^{11} and R^{13} are hydrogen.








Serial No. 09/779,116
 Filed: February 8, 2001

54. .(Previously presented)The compound of claim 53 selected from the group consisting of:








Name	Structure
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(4-phenyl-1-piperazinyl)ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[2-[4-(4-methoxyphenyl)-1-piperazinyl]-1,1-dimethylethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[2-[4-(3-methoxyphenyl)-1-piperazinyl]-1,1-dimethylethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(4-phenyl-1-piperazinyl)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[2-[4-(2-methoxyphenyl)-1-piperazinyl]-1,1-dimethylethyl]oxalamide	
N-[2-(4-Benzyl-1-piperazinyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(Benzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

N-[2-(4-Benzoyl-1-piperazinyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(4-Trifluoromethyl)phenyl]-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2-methylphenyl)-1-piperazinyl]ethyl]oxalamide	
N-[2-[4-(2-Fluorophenyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(4-Fluorophenyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[2-[4-(2-methoxyphenyl)-1-piperazinyl]-1,1-dimethylethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2-thiophenesulfonyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2,4,6-trimethylbenzenesulfonyl)-1-piperazinyl]ethyl]oxalamide	









de	
N-[2-[4-(4-Fluorobenzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(Trifluoromethanesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(Isopropylsulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
(E)-N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(styrylsulfonyl)-1-piperazinyl]ethyl]oxalamide	
N-[2-[4-(Ethanesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(propanesulfonyl)-1-piperazinyl]ethyl]oxalamide	
N-[2-[4-(3-Chloropropanesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(o-toluenesulfonyl)-1-piperazinyl]ethyl]oxalamide	
N-[2-[4-(2-Fluorobenzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2-Cyanobenzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[2-[4-(3,5-dimethyl-4-isoxazolylsulfonyl)-1-piperazinyl]-1,1-dimethyl-ethyl]oxalamide	
N-[2-[4-(5-Fluoro-2-methylbenzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2,5-Difluorobenzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(1-methyl-1H-imidazole-4-sulfonyl)-1-piperazinyl]ethyl]oxalamide	








Serial No. 09/779,116
 Filed: February 8, 2001








N-[2-[4-(2,6-Difluorobenzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(3,4-Difluorobenzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(Cyclohexylmethanesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2-phenylethanesulfonyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[2-[4-(2,4-dimethoxyphenyl)-1-piperazinyl]-1,1-dimethylethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(4-methylphenyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2,4-dimethylphenyl)-1-piperazinyl]ethyl]oxalamide	








Serial No. 09/779,116
 Filed: February 8, 2001








N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[2-[4-(3,4-dimethoxyphenyl)-1-piperazinyl]-1,1-dimethylethyl]oxalamide	
N-[2-(4-Cyclohexyl-1-piperazinyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(Cyclohexylmethyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2-Methoxybenzyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2-Hydroxybenzyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2-methylbenzyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2-thenyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2(RS)-phenylpropyl)-1-piperazinyl]ethyl]oxalamide	

piperazinyl]ethyl]oxalami de	
N-[3-methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(4-pivaloyl-1-piperazinyl)ethyl]oxalami de	
N-[2-[4-(2-Furoyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2-thenoyl)-1-piperazinyl]ethyl]oxalami de	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(3-thenoyl)-1-piperazinyl]ethyl]oxalami de	
N-[2-[4-(2-Cyclopentylacetyl)-1-piperazinyl]-1,1-dimethyl-ethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamid e	
N-[2-[4-(Cyclohexylcarbonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2-methylbenzoyl)-1-piperazinyl]ethyl]oxalami de	

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(4-methylbenzoyl)-1-piperazinyl]ethyl]oxalamide	
N-[2-[4-(Cycloheptylcarbonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(1H-pyrazol-4-yl)carbonyl]-1-piperazinyl]ethyl]oxalamide	
N-[2-[4-(Cyclopentylcarbonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-Dimethyl-2-[4-[(1-methyl-1H-pyrrol-2-yl)carbonyl]-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(1,2,3-thiadiazol-4-yl)carbonyl]-1-piperazinyl]ethyl]oxalamide	
N-[2-[4-(3-Fluorobenzoyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

N-[2-[4-(4-Fluorobenzoyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(Cyclopropylcarbonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2-Cyclohexylacetyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[2-[4-(3,3-dimethylbutyryl)-1-piperazinyl]-1,1-dimethylethyl]oxalamide	
N-[2-[4-(3-Hydroxy-2,2-dimethylpropionyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(3-methyl-2-furoyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(2-methyl-3-furoyl)-1-piperazinyl]ethyl]oxalamide	

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(5-methyl-1H-pyrazol-3-yl)carbonyl]-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(5-methyl-4-isoxazolyl)carbonyl]-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(5-methyl-3-isoxazolyl)carbonyl]-1-piperazinyl]ethyl]oxalamide	
N-[2-[4-(4-Aminobenzoyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(2-Hydroxybenzoyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(4-Hydroxybenzoyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(2,5-dimethyl-2H-pyrazol-3-yl)carbonyl]-1-piperazinyl]ethyl]oxalamide	








N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(3-methyl-2-thenoyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(4-methyl-2-thenoyl)-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(2,2,3,3-tetramethyl-1-cyclopropyl)carbonyl]-1-piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(4-methyl-1,2,3-thiadiazol-5-yl)carbonyl]-1-piperazinyl]ethyl]oxalamide	
N-[2-[4-(3-Cyanobenzoyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-[(Bicyclo[4.2.0]octa-1(6),2,4-trien-7-yl)carbonyl]-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-[4-(3-Hydroxybenzoyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-	

Serial No. 09/779,116


Filed: February 8, 2001

oxazoly1)phenyl]oxalamide N-[2-[4-(2-Ethylbutyl)-1- piperazinyl]-1,1- dimethylethyl]-N'-[3- methoxy-4-(5- oxazoly1)phenyl]oxalamide	
N-[3-Methoxy-4-(5- oxazoly1)phenyl]-N'-[1,1- dimethyl-2-[4-(2- phenylethyl)-1- piperazinyl]ethyl]oxalami de	
N-[3-Methoxy-4-(5- oxazoly1)phenyl]-N'-[1,1- dimethyl-2-[4-[3- (methylthio)propyl]-1- piperazinyl]ethyl]oxalami de	
N-[2-[4-(2,6- Difluorobenzyl)-1- piperazinyl]-1,1- dimethylethyl]-N'-[3- methoxy-4-(5- oxazoly1)phenyl]oxalamide	
N-[2-[4-(3-Furfuryl)-1- piperazinyl]-1,1- dimethylethyl]-N'-[3- methoxy-4-(5- oxazoly1)phenyl]oxalamide	
N-[2-[4-[(2- Benzofuranyl)methyl]-1- piperazinyl]-1,1- dimethylethyl]-N'-[3- methoxy-4-(5- oxazoly1)phenyl]oxalamid e	
N-[2-[4-(2-Cyanobenzyl)- 1-piperazinyl]-1,1- dimethylethyl]-N'-[3- methoxy-4-(5- oxazoly1)phenyl]oxalamide	

Serial No. 09/779,116
 Filed: February 8, 2001

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[2-[4-(3,3-dimethylbutyl)-1-piperazinyl]-1,1-dimethylethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(2-quinolinyl)methyl]-1-piperazinyl]ethyl]oxalamide	
tert-Butyl 4-[2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]-1-piperazineacetate	
4-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]-1-piperazineacetic acid trifluoroacetate (1:1)	
N-[2-[4-(Cyclopropylmethyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
tert-Butyl 4-[4-[2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]-1-piperazinyl] benzoate	
4-[4-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]-1-piperazinyl]benzoic acid trifluoroacetate (1:1)	

55. (Previously presented) The compound of claim 14 of the formula



wherein

R^{22} , R^{23} , R^{24} , R^{25} and R^{26} are H or lower alkyl

R^{27} is alkyl, aryl or heterocyclyl, alkoxy, aryloxy, heterocyclyl oxy.

56. .(Previously presented) The compound of claim 55 wherein R^2 is methoxy, R^3 , R^5 , R^6 , R^9 , R^{10} , R^{13} , R^{22} , R^{23} , R^{24} , R^{25} and R^{26} are hydrogen.


57. .(Previously presented) The compound of claim 56 wherein R^{27} is aryl or aryloxy.

58. .(Previously presented) The compound of claim 57 selected from the group consisting of:

Phenyl [3-[[[4-(5-oxazolyl)anilino]oxalyl]amino]benzyl]carbamate	
N-[3-[(3-Fluorobenzamido)methyl]phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

N-[3-[(3-Chlorobenzamido)methyl]phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-[(3-Methoxybenzamido)methyl]phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-[(3,4-Dimethoxybenzamido)methyl]phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-[(3-Cyanobenzamido)methyl]phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

59. (Currently amended) The compound of claim 14 of the formula




wherein

R^{11} and R^{12} is H or lower alkyl R is H or unsubstituted lower alkyl, and

R^{12} is heterocyclyl, aryl or lower cycloalkyl.






60. .(Previously presented)The compound of claim 59 wherein R^2 is methoxy, R^3 , R^5 , R^6 , R^9 , R^{10} , R^{11} and R^{13} are hydrogen and wherein R^{12} is phenyl or



Serial No. 09/779,116
 Filed: February 8, 2001

wherein R²¹ is phenyl, phenyl alkyl, phenyl carbonyl, or phenyl sulfonyl.

61. .(Previously presented)The compound of claim 60 selected from the group consisting of:

N-[3-Methoxy-4-(4-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(4-phenyl-1-piperazinyl)ethyl]oxalamide	
N-[2-(4-Benzyloxyphenyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(4-oxazolyl)phenyl]oxalamide	
N-[2-(4-Hydroxyphenyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(4-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(4-oxazolyl)phenyl]-N'-[2-[4-(4-methoxyphenyl)-1-piperazinyl]-1,1-dimethylethyl]oxalamide	
N-[3-Methoxy-4-(2-methyl-4-oxazolyl)-phenyl]-N'-[2-[4-(4-methoxyphenyl)-1-piperazinyl]-1,1-dimethylethyl]oxalamide	

62. .(Previously presented)The compound of claim 14 wherein R² is methoxy and R³, R⁵, R⁶, R⁹, and R^{1c} are hydrogen.

63. (Currently amended) The compound of claim 6±2 selected from the group consisting of:

Name	Structure
Benzyl 4-{2-[[[3-methoxy-4-(5-oxazolyl)phenylamino]oxalyl]amino]-2-methylpropyl}-1-piperidinecarboxylate	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(phenylthio)ethyl]oxal amide	
N-[2-(1-Acetyl-4-piperidiny)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	
N-(2-Cyclohexyl-1,1-dimethylethyl)-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(N-methylanilino)ethyl]oxalamide	
N-[2-(1,2,3,4-Tetrahydro-1-quinolyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-(4-Hydroxyphenylthio)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	

Serial No. 09/779,116
 Filed: February 8, 2001

N-[3-(4-Hydroxyphenyl)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[(1-oxido-4-pyridyl)carboxamido]ethyl]oxalamide	
N-[2-(4-Acetylbenzamido)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[3-[(4-methylbenzamido)methyl]phenyl]oxalamide	
N-[3-[(2-Methoxybenzamido)methyl]phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-[(4-Chlorobenzamido)methyl]phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-[[(1,3-Benzodioxol-5-yl)carboxamido]methyl]phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

Serial No. 09/779,116
 Filed: February 8, 2001


N-[2-(2,3-Dihydro-1-indolyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	
N-[2-(3,4-Dihydro-6-methyl-2H-quinol-1-yl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	
N-[1-(3-Benzofuranyl)-1-methylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(4-phenoxy-piperidino)propyl] oxalamide	
N-[2-(1-Butyryl-4-piperidinyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	
N-[2-[1-(Methanesulfonyl)-4-piperidinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	
N-[2-[1-(Benzenesulfonyl)-4-piperidinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide	

Serial No. 09/779,116
 Filed: February 8, 2001

N-[2-(1-Isobutyryl-4-piperidinyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
tert-Butyl 4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl] amino]-3-methylbutyl]-1-piperidinecarboxylate	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(4-piperidinyl)propyl]oxalamide	

64. (Cancelled)

65. (Currently amended) The compound of the general formula



wherein R^2 , R^3 , R^5 , R^6 and R^7 are defined as in Claim 1, and R^9 and R^{10} are defined as in Claim 14.

66. (Originally presented) A pharmaceutical composition comprising a compound of claim 1, or its pharmaceutically acceptable salt, and a pharmaceutically acceptable carrier,

diluent or adjuvant, and, optionally, one or more additional therapeutically active substance(s).

67.(Originally presented) A pharmaceutical composition of Claim 66, wherein the one or more additional therapeutically active substance(s) is an immunosuppressant, a chemotherapeutic agent, an anti-viral agent, an antibiotic, an anti-parasitic agent, an anti-fungal agent, an anti-inflammatory agent and/or an anti-vascular hyperproliferation agent.

68. (Cancelled)

69.(Originally presented) A method of treating an immune mediated condition or disease, a viral disease, a bacterial disease, a parasitic disease, inflammation, an inflammatory disease, a hyperproliferative vascular disease, a tumour, or cancer in a subject, comprising the step of administering to the subject a therapeutically effective amount of a compound of claim 1, or its pharmaceutically acceptable salts.

70.(Originally presented) A method of treating an IMPDH mediated disease comprising the step of administering to the subject a therapeutically effective amount of a compound of claim 1, or its pharmaceutically acceptable salts.


71.(Originally presented) A method of treating an immune mediated condition or disease, a viral disease, a bacterial disease, a parasitic disease, inflammation, an inflammatory disease, a hyperproliferative vascular disease, a tumour, or cancer in a subject, comprising the steps of (a) administering to the subject

a therapeutically effective amount of a compound of any one of claim 1, or its pharmaceutically acceptable salt, and (b) concurrently or sequentially administering to the subject one or more additional therapeutically active substance(s).

72. (Originally presented) A method of Claim 71, wherein the one or more additional therapeutically active substance(s) is selected from the group consisting of an immunosuppressant, a chemotherapeutic agent, an anti-viral agent, an antibiotic, an anti-parasitic agent, an anti-fungal agent, an anti-inflammatory agent and an anti-vascular hyperproliferation agent.

73. (Cancelled)

74. (Currently amended) The compound of claim 14 of the formula



wherein

$R^1, R^2, R^3, R^4, R^5, R^6, R^7$ and R^8 are H or lower alkyl R^9 is H or unsubstituted lower alkyl, and
 R^{10} is alkyl, cycloalkyl, aryl, heterocyclyl.